






MALE END VIEW	FEMALE END VIEW
 <p>1 = ORANGE 2 = BLUE 3 = RED/BLACK 4 = GREEN/BLACK 5 = WHITE 6 = RED 7 = GREEN/YELLOW 8 = WHITE/BLACK 9 = BLACK</p>	 <p>1 = ORANGE 2 = BLUE 3 = RED/BLACK 4 = GREEN/BLACK 5 = WHITE 6 = RED 7 = GREEN/YELLOW 8 = WHITE/BLACK 9 = BLACK</p>
	

SPECIFICATIONS	
CONTACT CARRIER MATERIAL	TPU
MOLDED HEAD MATERIAL/COLOR	TPU/BLACK
CONTACT MATERIAL/PLATING	BRASS/GOLD
COUPLING NUT MATERIAL/PLATING	BRASS/NICKEL
RATED CURRENT [A]	7.0 A
RATED VOLTAGE [V]	600 V
OUTER JACKET MATERIAL/COLOR	TPE/BLACK
NUMBER OF CONDUCTORS	9x14 AWG
CONDUCTOR INSULATION MATERIAL	PE
TEMPERATURE RATING	-40°C to +90°C (-40°F to +196°F)
PROTECTION CLASS	MEETS NEMA 1,3,4,6P AND IEC IP68



CABLE LENGTH	TOLERANCE*
ALL LENGTHS	+ 4% (OR 50mm) OF LENGTH - 0% (OR 0mm) OF LENGTH WHICHEVER IS GREATER
STRIP LENGTH	TOLERANCE*
0-7mm	±0.5mm
8-29mm	±1.0mm
30-49mm	±2.0mm
50-69mm	±3.0mm
70-100mm	±4.0mm
OVER 100mm	±5.0mm

* UNLESS OTHERWISE SPECIFIED



SOURCE DRAWING - FOR REFERENCE ONLY

NOTES:

1. "*" INDICATES CABLE LENGTH IN METERS. CONTACT TURCK TO ORDER SPECIFIC LENGTH.
2. "/S101" DESIGNATES FLEXLIFE-10 AND C-TRACK RATED CABLE.
3. "/S771" DESIGNATES BLACK MOLDED PLUG BODIES.
4. "/CS12299" DESIGNATES REPLACE PLASTIC SLIP-RINGS WITH STAINLESS STEEL SLIP-RINGS IN COUPLING NUTS.

RELATED DOCUMENTS	3RD ANGLE PROJECTION	THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.	TURCK		3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax www.turck.us
MATERIAL	DRFT	KMY	DATE	12/16/13	DESCRIPTION
SEE SPECIFICATIONS	APVD	N.M.	SCALE	1=1.8	RSM WKM 94-*M/S101/S771/CS12299
FINISH	ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY		UNIT OF MEASUREMENT	IDENTIFICATION NO.	
SEE SPECIFICATIONS	CONTACT TURCK FOR MORE INFORMATION		MILLIMETER [INCH]	REV C	
	DO NOT SCALE THIS DRAWING			FILE: 777032976	
REV	DESCRIPTION	BY	DATE	ECO NO.	SHEET 1 OF 1